

REFERENCE

- Doko, M.B; Rapier, S.; Visconti, A. and Sschieth, J.E. (1995). Incidence and high level of fumonisin Contamination in maize genotypes grown in Europe and Africa. J. Agric. Food Chem. 43: 429-434.
- Kuper –Goodman, T. (1994). Prevention of human mycotoxicosis through risk assessment and management. In Miller,J.D and Trenholm, H.L. (Eds). Mycotoxins in grains, St Paul, MN, Eagan Press.
- Prakash A, Rao J, D.S. Jayas, J Allotey. (2003) Insect pests of stored products: A global scenario, Division of Entomology, Central Rice Research Institute, India.
- Satin M, (1996). Food irradiation a grand book. Tech. Publ. Corp. Inc, USA.
- Sone L, Doharey, R.B., Kumar A and S Shankar, (1991). Field trials with deltamethrin, fenitrothion and malathion against stored grain insect pests in commercial were houses. Bull. Grain Tech, 29 (3): 133-137.
- Srinivasacharayulu, B.S. and Yadav, T.D. (1997). Toxicity of some insecticides against Sitophilus zeamais and Sitophilus oryzae. Indian J. Ent. 59 (2): 190-192.
- Vasan, B.S. (1980). Handling of high moisture paddy during wet season- a practical approach to the existing problems. Bull. Grain Tech. 18 (3): 223-232.
- Zakladnoi, G.A. and Rananova, V.F. (1987). Stored grain pests and their control. Oxonial Press Pvt. Ltd., New Delhi.

LINKS

<http://www.ncbi.nlm.nih.gov/pubmed/?term=medical+biotechnology>

<http://www.ncbi.nlm.nih.gov/books/NBK21177/>

<http://ocw.mit.edu/courses/biology/7-16-experimental-molecular-biology-biotechnology-ii-spring-2005/>

<http://www.biologyreference.com/Ar-Bi/index.html>

<http://www.infoplease.com/cig/biology/proteins.html>