

REFERENCE

- Adams, D. M., Barach, J. T., & Speck, M. L. (1975). Heat resistant proteases produced in milk by psychrotrophic bacteria of dairy origin. *Journal of Dairy Science*, 58, 828–834
- Adams, D. M., & Brawley, T. G. (1981). Heat resistant bacterial lipases and ultra-high temperature sterilization of dairy products. *Journal of Dairy Science*, 64, 1951–1957.
- Zoon, P., & Allersma, D. (1996). Eye and crack formation in cheese by carbon dioxide from decarboxylation of glutamic acid. *Netherlands Milk and Dairy Journal*, 50, 309–318.
- Australian Journal of Dairy Technology, 5, 25–30.
- International Journal of Food Microbiology, 12, 225–234
- Vlaemynck, G. M. (1994). Comparison of Petrifilm and plate count methods for enumerating molds and yeasts in cheese and yogurt. *Journal of Food Protection*, 57, 913–914.
- International Dairy Congress (Vol. 1, Book 1, pp. 431–432). Moscow, Russia: Mir Publishers.
- The microbiology of heat treated fluid milk products. In R. K. Robinson (ed.)
- Ternstrom, A., Lindberg, A.-M., & Molin, G. (1993). Classification of the spoilage flora of raw and pasteurized bovine milk, with special reference to *Pseudomonas* and *Bacillus*. *Journal of Applied Bacteriology*, 75, 25–34.
- Dairy microbiology (Vol. 1., pp. 209–270). New York: Elsevier Applied Science

LINKS

https://highered.mheducation.com/sites/0072320419/student_view0/chapter41/study_outline.html
<http://faculty.weber.edu/coberg/class/3853/3853%20MOs%20and%20Food%20Spoilage%20notes.htm>
<http://ecoursesonline.iasri.res.in/mod/page/view.php?id=19433>

www.foodscienceuniverse.com

www.toolforprofessionals.com

http://www.gitam.edu/eresource/environmental/em_maruthi/food.htm#1